


Foshan Chuanli Casters Manufacturing Co., Ltd.
Add: NO.1 Huangyong Industrial Ave, Beijiao St,
Shunde District, Foshan, Guangdong, China.
Mob: +86 173 2275 7389 Tel: +86 0757-2239 6278
WhatsApp / WeChat: +86-173 2275 7389
E-mail: mark@cmcl-casters.com
Website: www.cmcl-casters.com



WeChat




WhatsApp
Business



CMCL

Foshan Chuanli Casters Manufacturing Co., Ltd.

COMPANY PROFILE





SHOWROOM

We are a professional caster manufacturer who has been focusing on casters designing and producing since 2012 in Foshan, China. We produce PP, polyurethane, nylon casters and others materials; We have more than 10000 models of casters, the wheel diameter is from 1 inch to 8 inches and The maximum load-bearing capacity of a single caster can reach 600kg. All of these casters are widely used in furniture, appliances, shelves, machinery, carts and more.

The casters we produce have passed the EU RoHS certification, and these casters will be strictly tested before leaving the factory to ensure product quality. These casters have the advantages of being silent, wear-resistant, environmentally friendly, strong bearing capacity, and long service life.

Our R&D department provides strong technical support, which enables us to accept some OEM, ODM projects, We can produce at least 10,000 casters every day.

We not only manufacture and sell casters, but we will help you find a better solution.



Light Duty White PP Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	34	37x20	29	4.2	No Bearing	5
1.25"	32x13	40	37x20	29	4.2		8
1.5"	40x17	50	46x28	36x15	5.2		20
2"	50x21	65	60x40	45x25	6.2		30
2.5"	65x27	83	70x47	55x28	8.2		40
3"	75x27	92	70x47	55x28	8.2		50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	34	38x32	30x24	4.2	No Bearing	5
1.25"	32x13	40	38x32	30x24	4.2		8
1.5"	40x17	50	46x38	36x28	5.2		20
2"	50x21	65	58x46	46x35	6.2		30
2.5"	65x27	83	70x58	55x42	8.2		40
3"	75x27	92	70x58	55x42	8.2		50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1.5"	40x17	50	46x38	36x28	5.2	No Bearing	20
2"	50x21	65	58x46	46x35	6.2		30
2.5"	65x27	83	70x58	55x42	8.2		40
3"	75x27	92	70x58	55x42	8.2		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity kg
1"	25x13	42	M8x15	No Bearing	5
1.25"	32x13	45	M8x15		8
1.5"	40x17	55	M8x15		20
2"	50x21	70	M8x15 / M10x15		30
2.5"	65x27	85	M10x25 / M12x25		40
3"	75x27	96	M10x25 / M12x25		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity kg
1.5"	40x17	55	M8x15	No Bearing	20
2"	50x21	70	M8x15 / M10x15		30
2.5"	65x27	85	M10x25 / M12x25		40
3"	75x27	96	M10x25 / M12x25		50

Light Duty Black PP Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	34	37x20	29	4.2	No Bearing	5
1.25"	32x13	40	37x20	29	4.2		8
1.5"	40x17	50	46x28	36x15	5.2		20
2"	50x21	65	60x40	45x25	6.2		30
2.5"	65x27	83	70x47	55x28	8.2		40
3"	75x27	92	70x47	55x28	8.2		50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	34	38x32	30x24	4.2	No Bearing	5
1.25"	32x13	40	38x32	30x24	4.2		8
1.5"	40x17	50	46x38	36x28	5.2		20
2"	50x21	65	58x46	46x35	6.2		30
2.5"	65x27	83	70x58	55x42	8.2		40
3"	75x27	92	70x58	55x42	8.2		50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1.5"	40x17	50	46x38	36x28	5.2	No Bearing	20
2"	50x21	65	58x46	46x35	6.2		30
2.5"	65x27	83	70x58	55x42	8.2		40
3"	75x27	92	70x58	55x42	8.2		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity kg
1"	25x13	42	M8x15	No Bearing	5
1.25"	32x13	45	M8x15		8
1.5"	40x17	55	M8x15		20
2"	50x21	70	M8x15 / M10x15		30
2.5"	65x27	85	M10x25 / M12x25		40
3"	75x27	96	M10x25 / M12x25		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity kg
1.5"	40x17	55	M8x15	No Bearing	20
2"	50x21	70	M8x15 / M10x15		30
2.5"	65x27	85	M10x25 / M12x25		40
3"	75x27	96	M10x25 / M12x25		50

Light Duty Rubber Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1"	25x13	34	37x20	29	4.2	No Bearing	5
1.25"	32x13	40	37x20	29	4.2		8
1.5"	40x17	50	46x28	36x15	5.2		20
2"	50x21	65	60x40	45x25	6.2		30
2.5"	65x27	83	70x47	55x28	8.2		40
3"	75x27	92	70x47	55x28	8.2		50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1"	25x13	34	38x32	30x24	4.2	No Bearing	5
1.25"	32x13	40	38x32	30x24	4.2		8
1.5"	40x17	50	46x38	36x28	5.2		20
2"	50x21	65	58x46	46x35	6.2		30
2.5"	65x27	83	70x58	55x42	8.2		40
3"	75x27	92	70x58	55x42	8.2		50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40x17	50	46x38	36x28	5.2	No Bearing	20
2"	50x21	65	58x46	46x35	6.2		30
2.5"	65x27	83	70x58	55x42	8.2		40
3"	75x27	92	70x58	55x42	8.2		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1"	25x13	42	M8x15	No Bearing	5
1.25"	32x13	45	M8x15		8
1.5"	40x17	55	M8x15		20
2"	50x21	70	M8x15 / M10x15		30
2.5"	65x27	85	M10x25 / M12x25		40
3"	75x27	96	M10x25 / M12x25		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40x17	55	M8x15	No Bearing	20
2"	50x21	70	M8x15 / M10x15		30
2.5"	65x27	85	M10x25 / M12x25		40
3"	75x27	96	M10x25 / M12x25		50

Light Duty Red PVC Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1"	25x13	34	37x20	29	4.2	No Bearing	5
1.25"	32x13	40	37x20	29	4.2		8
1.5"	40x17	50	46x28	36x15	5.2		20
2"	50x21	65	60x40	45x25	6.2		30
2.5"	65x27	83	70x47	55x28	8.2		40
3"	75x27	92	70x47	55x28	8.2		50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1"	25x13	34	38x32	30x24	4.2	No Bearing	5
1.25"	32x13	40	38x32	30x24	4.2		8
1.5"	40x17	50	46x38	36x28	5.2		20
2"	50x21	65	58x46	46x35	6.2		30
2.5"	65x27	83	70x58	55x42	8.2		40
3"	75x27	92	70x58	55x42	8.2		50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40x17	50	46x38	36x28	5.2	No Bearing	20
2"	50x21	65	58x46	46x35	6.2		30
2.5"	65x27	83	70x58	55x42	8.2		40
3"	75x27	92	70x58	55x42	8.2		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1"	25x13	42	M8x15	No Bearing	5
1.25"	32x13	45	M8x15		8
1.5"	40x17	55	M8x15		20
2"	50x21	70	M8x15 / M10x15		30
2.5"	65x27	85	M10x25 / M12x25		40
3"	75x27	96	M10x25 / M12x25		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40x17	55	M8x15	No Bearing	20
2"	50x21	70	M8x15 / M10x15		30
2.5"	65x27	85	M10x25 / M12x25		40
3"	75x27	96	M10x25 / M12x25		50

Light Duty PU Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	34	37x20	29	4.2	No Bearing	5
1.25"	32x13	40	37x20	29	4.2		8
1.5"	40x17	50	46x28	36x15	5.2		20
2"	50x21	65	60x40	45x25	6.2		30
2.5"	65x27	83	70x47	55x28	8.2		40
3"	75x27	92	70x47	55x28	8.2		50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	34	38x32	30x24	4.2	No Bearing	5
1.25"	32x13	40	38x32	30x24	4.2		8
1.5"	40x17	50	46x38	36x28	5.2		20
2"	50x21	65	58x46	46x35	6.2		30
2.5"	65x27	83	70x58	55x42	8.2		40
3"	75x27	92	70x58	55x42	8.2		50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1.5"	40x17	50	46x38	36x28	5.2	No Bearing	20
2"	50x21	65	58x46	46x35	6.2		30
2.5"	65x27	83	70x58	55x42	8.2		40
3"	75x27	92	70x58	55x42	8.2		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1"	25x13	42	M8x15	No Bearing	5
1.25"	32x13	45	M8x15		8
1.5"	40x17	55	M8x15		20
2"	50x21	70	M8x15 / M10x15		30
2.5"	65x27	85	M10x25 / M12x25		40
3"	75x27	96	M10x25 / M12x25		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity kg
1.5"	40x17	55	M8x15	No Bearing	20
2"	50x21	70	M8x15 / M10x15		30
2.5"	65x27	85	M10x25 / M12x25		40
3"	75x27	96	M10x25 / M12x25		50

Light Duty Cast Iron Steel Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	34	37x20	29	4.2	No Bearing	5
1.25"	32x13	40	37x20	29	4.2		8
1.5"	40x17	50	46x28	36x15	5.2		20
2"	50x21	65	60x40	45x25	6.2		30
2.5"	65x27	83	70x47	55x28	8.2		40
3"	75x27	92	70x47	55x28	8.2		50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	34	38x32	30x24	4.2	No Bearing	5
1.25"	32x13	40	38x32	30x24	4.2		8
1.5"	40x17	50	46x38	36x28	5.2		20
2"	50x21	65	58x46	46x35	6.2		30
2.5"	65x27	83	70x58	55x42	8.2		40
3"	75x27	92	70x58	55x42	8.2		50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1.5"	40x17	50	46x38	36x28	5.2	No Bearing	20
2"	50x21	65	58x46	46x35	6.2		30
2.5"	65x27	83	70x58	55x42	8.2		40
3"	75x27	92	70x58	55x42	8.2		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1"	25x13	42	M8x15	No Bearing	5
1.25"	32x13	45	M8x15		8
1.5"	40x17	55	M8x15		20
2"	50x21	70	M8x15 / M10x15		30
2.5"	65x27	85	M10x25 / M12x25		40
3"	75x27	96	M10x25 / M12x25		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity kg
1.5"	40x17	55	M8x15	No Bearing	20
2"	50x21	70	M8x15 / M10x15		30
2.5"	65x27	85	M10x25 / M12x25		40
3"	75x27	96	M10x25 / M12x25		50

Light Duty Gray TPE / TPR Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	39	39x33	30x24	4.2	No Bearing	10
1.25"	32x13	45	39x33	30x24	4.2		15
1.5"	38x17	53	46x40	36x28	5.2		30
2"	50x18	65	46x40	36x28	5.2		40



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	39	39x33	30x24	4.2	No Bearing	10
1.25"	32x13	45	39x33	30x24	4.2		15
1.5"	38x17	53	46x40	36x28	5.2		30
2"	50x18	65	46x40	36x28	5.2		40



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	39	39x33	30x24	4.2	No Bearing	10
1.25"	32x13	45	39x33	30x24	4.2		15
1.5"	38x17	53	46x40	36x28	5.2		30
2"	50x18	65	46x40	36x28	5.2		40



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1"	25x13	39	M6x15 / M8x15	No Bearing	10
1.25"	32x13	45	M6x15 / M8x15		15
1.5"	38x17	53	M8x20		30
2"	50x18	65	M10x25		40



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1"	25x13	39	M6x15 / M8x15	No Bearing	10
1.25"	32x13	45	M6x15 / M8x15		15
1.5"	38x17	53	M8x20		30
2"	50x18	65	M10x25		40

Light Duty Coffee TPE / TPR Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	39	39x33	30x24	4.2	Single Bearing	10
1.25"	32x13	45	39x33	30x24	4.2		15
1.5"	38x17	53	46x40	36x28	5.2		30
2"	50x18	65	46x40	36x28	5.2		40



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	39	39x33	30x24	4.2	Single Bearing	10
1.25"	32x13	45	39x33	30x24	4.2		15
1.5"	38x17	53	46x40	36x28	5.2		30
2"	50x18	65	46x40	36x28	5.2		40



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1"	25x13	39	39x33	30x24	4.2	Single Bearing	10
1.25"	32x13	45	39x33	30x24	4.2		15
1.5"	38x17	53	46x40	36x28	5.2		30
2"	50x18	65	46x40	36x28	5.2		40



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1"	25x13	39	M6x15 / M8x15	Single Bearing	10
1.25"	32x13	45	M6x15 / M8x15		15
1.5"	38x17	53	M8x20		30
2"	50x18	65	M10x25		40



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1"	25x13	39	M6x15 / M8x15	Single Bearing	10
1.25"	32x13	45	M6x15 / M8x15		15
1.5"	38x17	53	M8x20		30
2"	50x18	65	M10x25		40

Gray Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2"	50x17	69	50x50	38x38	11x6.5	No Bearing	40
3"	75x21	100	65x65	50x50	11x6.5		50
4"	100x27	130	76x76	60x60	15x8.5		70
5"	125x27	155	76x76	60x60	15x8.5		90



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2"	50x17	69	50x50	38x38	11x6.5	No Bearing	40
3"	75x21	100	65x65	50x50	11x6.5		50
4"	100x27	130	76x76	60x60	15x8.5		70
5"	125x27	155	76x76	60x60	15x8.5		90



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2"	50x17	69	50x50	38x38	11x6.5	No Bearing	40
3"	75x21	100	65x65	50x50	11x6.5		50
4"	100x27	130	76x76	60x60	15x8.5		70
5"	125x27	155	76x76	60x60	15x8.5		90



Item					
Size	Dia x Width mm	Height mm	Hole Size mm	Bearing Type	Load Capacity
2"	50x17	69	φ10.2	No Bearing	40
3"	75x21	100	φ10.2		50
4"	100x27	130	φ10.2		70
5"	125x27	155	φ10.2		90



Item					
Size	Dia x Width mm	Height mm	Hole Size mm	Bearing Type	Load Capacity kg
2"	50x17	69	φ10.2	No Bearing	40
3"	75x21	100	φ10.2		50
4"	100x27	130	φ10.2		70
5"	125x27	155	φ10.2		90

TPR Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2"	50x17	69	50x50	38x38	11x6.5	No Bearing	40
3"	75x21	100	65x65	50x50	11x6.5		50
4"	100x27	130	76x76	60x60	15x8.5		70
5"	125x27	155	76x76	60x60	15x8.5		90



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2"	50x17	69	50x50	38x38	11x6.5	No Bearing	40
3"	75x21	100	65x65	50x50	11x6.5		50
4"	100x27	130	76x76	60x60	15x8.5		70
5"	125x27	155	76x76	60x60	15x8.5		90



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2"	50x17	69	50x50	38x38	11x6.5	No Bearing	40
3"	75x21	100	65x65	50x50	11x6.5		50
4"	100x27	130	76x76	60x60	15x8.5		70
5"	125x27	155	76x76	60x60	15x8.5		90



Item					
Size	Dia x Width mm	Height mm	Hole Size mm	Bearing Type	Load Capacity
2"	50x17	69	φ10.2	No Bearing	40
3"	75x21	100	φ10.2		50
4"	100x27	130	φ10.2		70
5"	125x27	155	φ10.2		90



Item					
Size	Dia x Width mm	Height mm	Hole Size mm	Bearing Type	Load Capacity kg
2"	50x17	69	φ10.2	No Bearing	40
3"	75x21	100	φ10.2		50
4"	100x27	130	φ10.2		70
5"	125x27	155	φ10.2		90

Furniture Casters Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1"	25x13	28	42x19	31	4.2	No Bearing	5
1.25"	30x13	35	51x19	40	4.2		8
1.5"	40x17	42	59x24	47	5.2		20
2"	50x21	55	71x24	58	6.2		30



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1"	25x13	28	42x19	31	4.2	No Bearing	8
1.25"	32x13	35	51x19	40	4.2		10
1.5"	38x17	42	59x24	47	5.2		20
2"	50x18	55	71x24	58	6.2		30



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1"	25x13	28	42x19	31	4.2	Single Bearing	10
1.25"	32x13	35	51x19	40	4.2		15
1.5"	38x17	42	59x24	47	5.2		30
2"	50x18	55	71x24	58	6.2		40

Light Duty TPE Casters Dual Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	50x18	70	72x53	52x35	8.2	Single Bearing	40



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	50x18	70	72x53	52x35	8.2	Single Bearing	40



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	50x18	70	72x53	52x35	8.2	Single Bearing	40



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2"	50x18	70	M10x15	Single Bearing	40



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2"	50x18	70	M10x15	Single Bearing	40

Furniture Casters Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Plate size mm	Hole Size mm	Bearing Type	Load Capacity
1"	25x13	39	43x18	33x25	5.2	Single Bearing	10
1.25"	32x13	45	43x18	33x25	5.2		15
1.5"	38x17	53	49x21	39x25	5.2		30
2"	50x18	65	49x21	39x25	5.2		40



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1"	25x13	39	43x18	33x25	5.2	Single Bearing	10
1.25"	32x13	45	43x18	33x25	5.2		15
1.5"	38x17	53	49x21	39x25	5.2		30
2"	50x18	65	49x21	39x25	5.2		40



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	38x17	53	40x31	16 / 18 20 / 22 25	5.2	Single Bearing	30
2"	50x18	65	40x31		5.2		40



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	38x17	53	40x31	16 / 18 20 / 22 25	5.2	Single Bearing	20
2"	50x18	65	40x31		5.2		30



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	38x17	53	40x31	20	5.2	Single Bearing	20
2"	50x18	65	40x31	20	5.2		30

Office Chair Casters Wheel



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity
2.5"	65x24	82	Φ11x22	Transparent PU	45
3"	75x24	95	Φ11x22		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity
2.5"	65x24	82	Φ11x22	Transparent PU	45
3"	75x24	95	Φ11x22		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity
1"	25x13	39	Φ8x19	TPE / TPR	10
1.25"	32x13	45	Φ8x19		15
1.5"	38x17	53	Φ11x22		30
2"	50x18	65	Φ11x22		40



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity
1"	25x13	39	Φ8x19	TPE / TPR	10
1.25"	32x13	45	Φ8x19		15
1.5"	38x17	53	Φ11x22		30
2"	50x18	65	Φ11x22		40



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity
1.5"	40x21	60	Φ11x22	PU	50
2"	50x25	72	Φ11x22		60

Casters Wheel for IKEA



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2.5"	21×50	80	60×45	45×30	9×6.2	Single Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2.5"	21×50	80	60×45	45×30	9×6.2	Single Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2.5"	21×50	80	60×45	45×30	9×6.2	Single Bearing	50

Casters Wheel for RASHULT & RASKOG



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	60×18	88	M8x15	No Bearing	40

Black Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	60×43	45×30	9×6.2	Double	40
2"	50×25	72	70×50	52×35	11×8.2	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	60×43	45×30	9×6.2	Double	40
2"	50×25	72	70×50	52×35	11×8.2	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	60×43	45×30	9×6.2	Double	40
2"	50×25	72	70×50	52×35	11×8.2	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	M8x25	Double Bearing	40
2"	50×25	72	M10x25 / M12x25		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	M8x25	Double	40
2"	50×25	72	M10x25 / M12x25	Bearing	50

Orange Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	60×43	45×30	9×6.2	Double	40
2"	50×25	72	70×50	52×35	11×8.2	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	60×43	45×30	9×6.2	Double	40
2"	50×25	72	70×50	52×35	11×8.2	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	60×43	45×30	9×6.2	Double	40
2"	50×25	72	70×50	52×35	11×8.2	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	M8x25	Double Bearing	40
2"	50×25	72	M10x25 / M12x25		50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	M8x25	Double	40
2"	50×25	72	M10x25 / M12x25	Bearing	50

Light Nylon Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	60×43	45×30	9×6.2	Double	40
2"	50×25	72	70×50	52×35	11×8.2	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	60×43	45×30	9×6.2	Double	40
2"	50×25	72	70×50	52×35	11×8.2	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	60×43	45×30	9×6.2	Double	40
2"	50×25	72	70×50	52×35	11×8.2	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	M8x25	Double	40
2"	50×25	72	M10x25 / M12x25	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40×21	60	M8x25	Double	40
2"	50×25	72	M10x25 / M12x25	Bearing	50

General Duty Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	37×24	50	61×37	48×23	6.2	No Bearing	30
2"	46×24	62	66×39	53×24	6.2		40
2.5"	63×28	80	99×52	80×25	8.2		50
3"	75×31	93	103×59	83×36	8.2		60



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	37×24	50	62×44	48×24	6.2	No Bearing	30
2"	46×24	62	65×48	53×24	6.2		40
2.5"	63×28	80	96×67	75×40	8.2		50
3"	75×31	93	105×77	84×58	8.2		60



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	37×24	50	62×44	48×24	6.2	No Bearing	30
2"	46×24	62	65×48	53×24	6.2		40
2.5"	63×28	80	96×67	75×40	8.2		50
3"	75×31	93	105×77	84×58	8.2		60

Black General Duty Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	37×24	50	61×37	48×23	6.2	No Bearing	30
2"	46×24	62	66×39	53×24	6.2		40
2.5"	63×28	80	99×52	80×25	8.2		50
3"	75×31	93	103×59	83×36	8.2		60



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	37×24	50	62×44	48×24	6.2	No Bearing	30
2"	46×24	62	65×48	53×24	6.2		40
2.5"	63×28	80	96×67	75×40	8.2		50
3"	75×31	93	105×77	84×58	8.2		60



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	37×24	50	62×44	48×24	6.2	No Bearing	30
2"	46×24	62	65×48	53×24	6.2		40
2.5"	63×28	80	96×67	75×40	8.2		50
3"	75×31	93	105×77	84×58	8.2		60

Rubber General Duty Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	37×24	50	61×37	48×23	6.2	No Bearing	30
2"	46×24	62	66×39	53×24	6.2		40
2.5"	63×28	80	99×52	80×25	8.2		50
3"	75×31	93	103×59	83×36	8.2		60



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	37×24	50	62×44	48×24	6.2	No Bearing	30
2"	46×24	62	65×48	53×24	6.2		40
2.5"	63×28	80	96×67	75×40	8.2		50
3"	75×31	93	105×77	84×58	8.2		60



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	37×24	50	62×44	48×24	6.2	No Bearing	30
2"	46×24	62	65×48	53×24	6.2		40
2.5"	63×28	80	96×67	75×40	8.2		50
3"	75×31	93	105×77	84×58	8.2		60

Medium Duty Polyurethane Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	92x64	74x45	12x8.2	Single Bearing	70
3"	75x32	103	92x64	74x45	12x8.2		80
4"	100x32	128	92x64	74x45	12x8.2		90
5"	125x32	155	92x64	74x45	12x8.2		100



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	92x64	74x45	12x8.2	Single Bearing	70
3"	75x32	103	92x64	74x45	12x8.2		80
4"	100x32	128	92x64	74x45	12x8.2		90
5"	125x32	155	92x64	74x45	12x8.2		100



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	92x64	74x45	12x8.2	Single Bearing	70
3"	75x32	103	92x64	74x45	12x8.2		80
4"	100x32	128	92x64	74x45	12x8.2		90
5"	125x32	155	92x64	74x45	12x8.2		100



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	M10x30 / M12x30	Single Bearing	70
3"	75x32	103	M10x30 / M12x30		80
4"	100x32	128	M10x30 / M12x30		90
5"	125x32	155	M10x30 / M12x30		100



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	M10x30 / M12x30	Single Bearing	70
3"	75x32	103	M10x30 / M12x30		80
4"	100x32	128	M10x30 / M12x30		90
5"	125x32	155	M10x30 / M12x30		100

Medium Duty Polyurethane Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	92x64	74x45	12x8.2	Double Bearing	80
3"	75x32	103	92x64	74x45	12x8.2		90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	92x64	74x45	12x8.2	Double Bearing	80
3"	75x32	103	92x64	74x45	12x8.2		90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	92x64	74x45	12x8.2	Double Bearing	80
3"	75x32	103	92x64	74x45	12x8.2		90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	M10x30 / M12x30	Double Bearing	80
3"	75x32	103	M10x30 / M12x30		90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	M10x30 / M12x30	Double Bearing	80
3"	75x32	103	M10x30 / M12x30		90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110

Medium Duty Nylon Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	63x32	90	92x64	74x45	12x8.2	Double Bearing	80
3"	75x32	103	92x64	74x45	12x8.2		90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	63x32	90	92x64	74x45	12x8.2	Double Bearing	80
3"	75x32	103	92x64	74x45	12x8.2		90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	63x32	90	92x64	74x45	12x8.2	Double Bearing	80
3"	75x32	103	92x64	74x45	12x8.2		90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	M10x30 / M12x30	Double Bearing	80
3"	75x32	103	M10x30 / M12x30		90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	M10x30 / M12x30	Double Bearing	80
3"	75x32	103	M10x30 / M12x30		90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110

Medium Duty Orange Polyurethane Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	63x32	90	92x64	74x45	12x8.2	Double Bearing	80
3"	75x32	103	92x64	74x45	12x8.2		90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	63x32	90	92x64	74x45	12x8.2	Double Bearing	80
3"	75x32	103	92x64	74x45	12x8.2		90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	63x32	90	92x64	74x45	12x8.2	Double Bearing	80
3"	75x32	103	92x64	74x45	12x8.2		90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	M10x30 / M12x30	Double Bearing	80
3"	75x32	103	M10x30 / M12x30		90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110



Item						
Size	Dia x Width mm	Height mm	Stem Size mm		Bearing Type	Load Capacity
2.5"	63x32	90	M10x30 / M12x30		Double Bearing	80
3"	75x32	103	M10x30 / M12x30			90
4"	100x32	128	M10x30 / M12x30			100
5"	125x32	155	M10x30 / M12x30			110

Medium Duty Gray TPR Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110

Medium Duty Gray TPR Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Single Bearing	80
4"	100x32	128	92x64	74x45	12x8.2		90
5"	125x32	155	92x64	74x45	12x8.2		100



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Single Bearing	80
4"	100x32	128	92x64	74x45	12x8.2		90
5"	125x32	155	92x64	74x45	12x8.2		100



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Single Bearing	80
4"	100x32	128	92x64	74x45	12x8.2		90
5"	125x32	155	92x64	74x45	12x8.2		100



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Single Bearing	80
4"	100x32	128	M10x30 / M12x30		90
5"	125x32	155	M10x30 / M12x30		100



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Single Bearing	80
4"	100x32	128	M10x30 / M12x30		90
5"	125x32	155	M10x30 / M12x30		100

Medium Duty Gray TPR Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110

Medium Duty Blue TPR Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110

Medium Duty PU on Cast Iron Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	63x32	90	92x64	74x45	12x8.2	Double Bearing	120
3"	75x32	103	92x64	74x45	12x8.2		130
4"	100x32	128	92x64	74x45	12x8.2		140
5"	125x32	155	92x64	74x45	12x8.2		150



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	63x32	90	92x64	74x45	12x8.2	Double Bearing	120
3"	75x32	103	92x64	74x45	12x8.2		130
4"	100x32	128	92x64	74x45	12x8.2		140
5"	125x32	155	92x64	74x45	12x8.2		150



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	63x32	90	92x64	74x45	12x8.2	Double Bearing	120
3"	75x32	103	92x64	74x45	12x8.2		130
4"	100x32	128	92x64	74x45	12x8.2		140
5"	125x32	155	92x64	74x45	12x8.2		150



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	63x32	90	M10x30 / M12x30	Double Bearing	120
3"	75x32	103	M10x30 / M12x30		130
4"	100x32	128	M10x30 / M12x30		140
5"	125x32	155	M10x30 / M12x30		150



Item						
Size	Dia x Width mm	Height mm	Stem Size mm		Bearing Type	Load Capacity
2.5"	63x32	90	M10x30 / M12x30		Double Bearing	120
3"	75x32	103	M10x30 / M12x30			130
4"	100x32	128	M10x30 / M12x30			140
5"	125x32	155	M10x30 / M12x30			150

Medium Duty PU on Cast Iron Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	130
4"	100x32	128	92x64	74x45	12x8.2		140



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	130
4"	100x32	128	92x64	74x45	12x8.2		140



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	130
4"	100x32	128	92x64	74x45	12x8.2		140



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	130
4"	100x32	128	M10x30 / M12x30		140



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	130
4"	100x32	128	M10x30 / M12x30		140

Medium High-Temperature Casters (536°F/280°C)



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	100
4"	100x32	128	92x64	74x45	12x8.2		120
5"	125x32	155	92x64	74x45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	100
4"	100x32	128	92x64	74x45	12x8.2		120
5"	125x32	155	92x64	74x45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	100
4"	100x32	128	92x64	74x45	12x8.2		120
5"	125x32	155	92x64	74x45	12x8.2		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	100
4"	100x32	128	M10x30 / M12x30		120
5"	125x32	155	M10x30 / M12x30		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	100
4"	100x32	128	M10x30 / M12x30		120
5"	125x32	155	M10x30 / M12x30		130

Medium High-Temperature Casters (428°F/220°C)



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	100
4"	100x32	128	92x64	74x45	12x8.2		120
5"	125x32	155	92x64	74x45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	100
4"	100x32	128	92x64	74x45	12x8.2		120
5"	125x32	155	92x64	74x45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	100
4"	100x32	128	92x64	74x45	12x8.2		120
5"	125x32	155	92x64	74x45	12x8.2		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	100
4"	100x32	128	M10x30 / M12x30		120
5"	125x32	155	M10x30 / M12x30		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	100
4"	100x32	128	M10x30 / M12x30		120
5"	125x32	155	M10x30 / M12x30		130

Medium Duty TPR Anti static Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item						
Size	Dia x Width mm	Height mm	Stem Size mm		Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30		Double Bearing	90
4"	100x32	128	M10x30 / M12x30			100
5"	125x32	155	M10x30 / M12x30			110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110

Medium Duty Rubber Anti static Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item						
Size	Dia x Width mm	Height mm	Stem Size mm		Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30		Double Bearing	90
4"	100x32	128	M10x30 / M12x30			100
5"	125x32	155	M10x30 / M12x30			110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110

Medium Duty Cast Iron Steel Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item						
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity	
3"	75x32	103	M10x30 / M12x30	Double Bearing	90	
4"	100x32	128	M10x30 / M12x30		100	
5"	125x32	155	M10x30 / M12x30		110	



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110

Medium Duty Black Polyurethane Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item						
Size	Dia x Width mm	Height mm	Stem Size mm		Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30		Double Bearing	90
4"	100x32	128	M10x30 / M12x30			100
5"	125x32	155	M10x30 / M12x30			110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110

Medium Duty Black & Orange Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Double Bearing	90
4"	100x32	128	92x64	74x45	12x8.2		100
5"	125x32	155	92x64	74x45	12x8.2		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M10x30 / M12x30	Double Bearing	90
4"	100x32	128	M10x30 / M12x30		100
5"	125x32	155	M10x30 / M12x30		110

Medium Duty Casters With AB-Brake



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Wheel Material	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	Nylon	90
4"	100x32	128	92x64	74x45	12x8.2	Nylon	100
5"	125x32	155	92x64	74x45	12x8.2	Nylon	110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Wheel Material	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	PU	90
4"	100x32	128	92x64	74x45	12x8.2	PU	100
5"	125x32	155	92x64	74x45	12x8.2	PU	110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Wheel Material	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	TPR	80
4"	100x32	128	92x64	74x45	12x8.2	TPR	90
5"	125x32	155	92x64	74x45	12x8.2	TPR	100

Medium Duty Casters With AB-Brake



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Wheel Material	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	PU	90
4"	100x32	128	92x64	74x45	12x8.2	PU	100
5"	125x32	155	92x64	74x45	12x8.2	PU	110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Wheel Material	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	PU	90
4"	100x32	128	92x64	74x45	12x8.2	PU	100
5"	125x32	155	92x64	74x45	12x8.2	PU	110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Wheel Material	Load Capacity
3"	75x32	103	92x64	74x45	12x8.2	PU	90
4"	100x32	128	92x64	74x45	12x8.2	PU	100
5"	125x32	155	92x64	74x45	12x8.2	PU	110

Medium Duty Expanding Adapter Stem Casters



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	PU	80
4"	100x32	128			90
5"	125x32	155			100



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	PU	90
4"	100x32	128			100
5"	125x32	155			110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	PU	90
4"	100x32	128			100
5"	125x32	155			110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	TPR	90
4"	100x32	128			100
5"	125x32	155			110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	TPR	80
4"	100x32	128			90
5"	125x32	155			100

Medium Duty Expanding Adapter Stem Casters



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	PU	80
4"	100x32	128			90
5"	125x32	155			100



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	PU	90
4"	100x32	128			100
5"	125x32	155			110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	PU	90
4"	100x32	128			100
5"	125x32	155			110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	TPR	90
4"	100x32	128			100
5"	125x32	155			110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	TPR	80
4"	100x32	128			90
5"	125x32	155			100

Medium Duty Expanding Adapter Stem Casters



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	TPR	90
4"	100x32	128			100
5"	125x32	155			110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	ESD Rubber	90
4"	100x32	128			100
5"	125x32	155			110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	ESD TPR	90
4"	100x32	128			100
5"	125x32	155			110



ER9	ER27	ER28	ER29
Fit 3/4 ID Round Tube Exp 0.720"-0.851"	Fit 7/8 ID Round Tube Exp 0.852"-0.927"	Fit 1 ID Round Tube Exp 0.928"-1.029"	Fit 1-1/8 ID Round Exp 1.110"-1.140"
Knurled Nut	Knurled Nut	Knurled Nut	Knurled Nut
Round Rubber	Round Rubber	Round Rubber	Round Rubber
Round Plastic Bushing	Round Plastic Bushing	Round Plastic Bushing	Round Plastic Bushing

Medium Duty Expanding Adapter Stem Casters



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	TPR	90
4"	100x32	128			100
5"	125x32	155			110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	ESD Rubber	90
4"	100x32	128			100
5"	125x32	155			110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Wheel Material	Load Capacity kg
3"	75x32	103	ER9 / ER27 / ER28 / ER29 ER17 / ER25 / ER26 / ER21	ESD TPR	90
4"	100x32	128			100
5"	125x32	155			110



ER17	ER25	ER26	ER21
Fit 1-3/16 ID Round Tube Exp 1.178"-1.303"	Fit 1-3/8 ID Round Tube Exp 1.360"-1.425"	Fit 1-1/2 ID Round Tube Exp 1.426"-1.589"	Fit 1-7/8 ID Round Tube Exp 1.790"-1.850"
Knurled Nut	Knurled Nut	Knurled Nut	Knurled Nut
Round Rubber	Round Rubber	Round Rubber	Round Rubber
Round Plastic Bushing	Round Plastic Bushing	Round Plastic Bushing	Round Plastic Bushing

European Type Medium Duty Rubber Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x22	93	82x66	60x42	8.5	Roller Bearing	50
4"	100x30	128	100x80	80x60	8.5		70
5"	125x38	152	100x80	80x60	10.5		100
6"	160x40	197	135x110	108x80	11		130
8"	200x50	237	135x110	108x80	11		200



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x22	93	82x66	60x42	8.5	Roller Bearing	50
4"	100x30	128	100x80	80x60	8.5		70
5"	125x38	152	100x80	80x60	10.5		100
6"	160x40	197	135x110	108x80	11		130
8"	200x50	237	135x110	108x80	11		200



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x22	93	82x66	60x42	8.5	Roller Bearing	50
4"	100x30	128	100x80	80x60	8.5		70
5"	125x38	152	100x80	80x60	10.5		100
6"	160x40	197	135x110	108x80	11		130
8"	200x50	237	135x110	108x80	11		200

European Type Medium Duty Rubber Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x22	93	82x66	60x42	8.5	Double Bearing	50
4"	100x30	128	100x80	80x60	8.5		70
5"	125x38	152	100x80	80x60	10.5		100
6"	160x40	197	135x110	108x80	11		130
8"	200x50	237	135x110	108x80	11		200



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x22	93	82x66	60x42	8.5	Double Bearing	50
4"	100x30	128	100x80	80x60	8.5		70
5"	125x38	152	100x80	80x60	10.5		100
6"	160x40	197	135x110	108x80	11		130
8"	200x50	237	135x110	108x80	11		200



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x22	93	82x66	60x42	8.5	Double Bearing	50
4"	100x30	128	100x80	80x60	8.5		70
5"	125x38	152	100x80	80x60	10.5		100
6"	160x40	197	135x110	108x80	11		130
8"	200x50	237	135x110	108x80	11		200

European Type Medium Duty Nylon Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x22	93	82x66	60x42	8.5	Roller Bearing	50
4"	100x30	128	100x80	80x60	8.5		70
5"	125x38	152	100x80	80x60	10.5		100
6"	160x40	197	135x110	108x80	11		130
8"	200x50	237	135x110	108x80	11		200



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x22	93	82x66	60x42	8.5	Roller Bearing	50
4"	100x30	128	100x80	80x60	8.5		70
5"	125x38	152	100x80	80x60	10.5		100
6"	160x40	197	135x110	108x80	11		130
8"	200x50	237	135x110	108x80	11		200



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x22	93	82x66	60x42	8.5	Roller Bearing	50
4"	100x30	128	100x80	80x60	8.5		70
5"	125x38	152	100x80	80x60	10.5		100
6"	160x40	197	135x110	108x80	11		130
8"	200x50	237	135x110	108x80	11		200

European Type Medium Duty PU Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x22	93	82x66	60x42	8.5	Roller Bearing	50
4"	100x30	128	100x80	80x60	8.5		70
5"	125x38	152	100x80	80x60	10.5		100
6"	160x40	197	135x110	108x80	11		130
8"	200x50	237	135x110	108x80	11		200



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x22	93	82x66	60x42	8.5	Roller Bearing	50
4"	100x30	128	100x80	80x60	8.5		70
5"	125x38	152	100x80	80x60	10.5		100
6"	160x40	197	135x110	108x80	11		130
8"	200x50	237	135x110	108x80	11		200



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x22	93	82x66	60x42	8.5	Roller Bearing	50
4"	100x30	128	100x80	80x60	8.5		70
5"	125x38	152	100x80	80x60	10.5		100
6"	160x40	197	135x110	108x80	11		130
8"	200x50	237	135x110	108x80	11		200

Heavy Duty Nylon Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x45	145	113x100	84x71	20x11	Double Bearing	200
5"	125x45	165	113x100	84x71	20x11		250
6"	150x45	192	113x100	84x71	20x11		280
8"	200x45	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x45	145	113x100	84x71	20x11	Double Bearing	200
5"	125x45	165	113x100	84x71	20x11		250
6"	150x45	192	113x100	84x71	20x11		280
8"	200x45	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x45	145	113x100	84x71	20x11	Double Bearing	200
5"	125x45	165	113x100	84x71	20x11		250
6"	150x45	192	113x100	84x71	20x11		280
8"	200x45	242	113x100	84x71	20x11		300

Heavy Duty Orange Polyurethane Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300

Heavy Duty Gray Polyurethane Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300

Heavy Duty Red Polyurethane Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300




Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300

Heavy Duty Red Polyurethane Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300

Heavy Duty Red Polyurethane Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300

Heavy Duty Polyurethane On Aluminum Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450

Heavy Duty Polyurethane On Cast Iron Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	6202	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11	Roller Bearing	400
8"	200x50	242	113x100	84x71	20x11		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	6202	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11	Roller Bearing	400
8"	200x50	242	113x100	84x71	20x11		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	6202	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11	Roller Bearing	400
8"	200x50	242	113x100	84x71	20x11		450

Heavy Duty Polyurethane On Aluminum Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Double Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Double Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Double Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450

Heavy Duty Cast Iron Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	6203 Bearing Roller Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	6203 Bearing Roller Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	6203 Bearing Roller Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450

Heavy Duty Rubber On Cast Iron Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Roller Bearing	250
5"	125x50	165	113x100	84x71	20x11		300
6"	150x50	192	113x100	84x71	20x11		350
8"	200x50	242	113x100	84x71	20x11		400



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Roller Bearing	250
5"	125x50	165	113x100	84x71	20x11		300
6"	150x50	192	113x100	84x71	20x11		350
8"	200x50	242	113x100	84x71	20x11		400



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Roller Bearing	250
5"	125x50	165	113x100	84x71	20x11		300
6"	150x50	192	113x100	84x71	20x11		350
8"	200x50	242	113x100	84x71	20x11		400

Heavy Duty Gray TPR Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300

Heavy High-Temperature Casters (536°F/280°C)



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	250
5"	125x50	165	113x100	84x71	20x11		300
6"	150x50	192	113x100	84x71	20x11		350
8"	200x50	242	113x100	84x71	20x11		400



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	250
5"	125x50	165	113x100	84x71	20x11		300
6"	150x50	192	113x100	84x71	20x11		350
8"	200x50	242	113x100	84x71	20x11		400



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	250
5"	125x50	165	113x100	84x71	20x11		300
6"	150x50	192	113x100	84x71	20x11		350
8"	200x50	242	113x100	84x71	20x11		400

Heavy High-Temperature Casters (428°F/220°C)



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	250
5"	125x50	165	113x100	84x71	20x11		300
6"	150x50	192	113x100	84x71	20x11		350
8"	200x50	242	113x100	84x71	20x11		400



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	250
5"	125x50	165	113x100	84x71	20x11		300
6"	150x50	192	113x100	84x71	20x11		350
8"	200x50	242	113x100	84x71	20x11		400



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	250
5"	125x50	165	113x100	84x71	20x11		300
6"	150x50	192	113x100	84x71	20x11		350
8"	200x50	242	113x100	84x71	20x11		400

Heavy Duty Gray TPR Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300

Heavy Duty Blue TPR Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300

Heavy Duty Shock-Absorbing Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	175	158x114	128x73	25x13	Double Bearing	300
5"	125x50	188	158x114	128x73	25x13		350
6"	150x50	200	158x114	128x73	25x13		400
8"	200x50	250	158x114	128x73	25x13		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	175	158x114	128x73	25x13	Double Bearing	300
5"	125x50	188	158x114	128x73	25x13		350
6"	150x50	200	158x114	128x73	25x13		400
8"	200x50	250	158x114	128x73	25x13		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	175	158x114	128x73	25x13	Double Bearing	300
5"	125x50	188	158x114	128x73	25x13		350
6"	150x50	200	158x114	128x73	25x13		400
8"	200x50	250	158x114	128x73	25x13		450

Heavy Duty Shock-Absorbing Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	195	140x110	105x80	21x13	Double Bearing	300
5"	125x50	210	140x110	105x80	21x13		350
6"	150x50	223	140x110	105x80	21x13		400
8"	200x50	255	140x110	105x80	21x13		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	195	140x110	105x80	21x13	Double Bearing	300
5"	125x50	210	140x110	105x80	21x13		350
6"	150x50	223	140x110	105x80	21x13		400
8"	200x50	255	140x110	105x80	21x13		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	195	140x110	105x80	21x13	Double Bearing	300
5"	125x50	210	140x110	105x80	21x13		350
6"	150x50	223	140x110	105x80	21x13		400
8"	200x50	255	140x110	105x80	21x13		450

Light Duty SUS304 Casters With PA Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1.5"	40x20	60	54x44	40x30	6.3	No	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1.5"	40x20	60	54x44	40x30	6.3	No	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1.5"	40x20	60	54x44	40x30	6.3	No	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	M10x25	No	30
2"	50x22	70	M10x25	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity kg
1.5"	40x20	60	M10x25	No	30
2"	50x22	70	M10x25	Bearing	50

Light Duty SUS304 Casters With PC Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1.5"	40x20	60	54x44	40x30	6.3	No	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1.5"	40x20	60	54x44	40x30	6.3	No	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
1.5"	40x20	60	54x44	40x30	6.3	No	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	M10x25	No	30
2"	50x22	70	M10x25	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity kg
1.5"	40x20	60	M10x25	No	30
2"	50x22	70	M10x25	Bearing	50

Light Duty SUS304 Casters With PU Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	54x44	40x30	6.3	Single	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	54x44	40x30	6.3	Single	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	54x44	40x30	6.3	Single	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	M10x25	Single	30
2"	50x22	70	M10x25	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	M10x25	Single	30
2"	50x22	70	M10x25	Bearing	50

Light Duty SUS304 Casters With TPR Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	54x44	40x30	6.3	Single	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	54x44	40x30	6.3	Single	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	54x44	40x30	6.3	Single	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	M10x25	Single	30
2"	50x22	70	M10x25	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	M10x25	Single	30
2"	50x22	70	M10x25	Bearing	50

Light Duty All SUS304 Casters Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	54x44	40x30	6.3	Double	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	54x44	40x30	6.3	Double	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	54x44	40x30	6.3	Double	30
2"	50x22	70	54x44	40x30	6.3	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	M10x25	Double	30
2"	50x22	70	M10x25	Bearing	50



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
1.5"	40x20	60	M10x25	Double	30
2"	50x22	70	M10x25	Bearing	50

Medium SUS304 Casters With Nylon Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Double	90
4"	100x32	130	95x64	74x45	12x8.2	Bearing	100
5"	125x32	155	95x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Double	90
4"	100x32	130	95x64	74x45	12x8.2	Bearing	100
5"	125x32	155	95x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Double	90
4"	100x32	130	95x64	74x45	12x8.2	Bearing	100
5"	125x32	155	95x64	74x45	12x8.2		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M12x30	Double Bearing	90
4"	100x32	128	M12x30		100
5"	125x32	155	M12x30		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M12x30	Double	90
4"	100x32	128	M12x30	Bearing	100
5"	125x32	155	M12x30		110

Medium SUS304 Casters With Gray TPR Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Single Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		90
5"	125x32	155	95x64	74x45	12x8.2		100



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	No Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		90
5"	125x32	155	95x64	74x45	12x8.2		100



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Single Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		90
5"	125x32	155	95x64	74x45	12x8.2		100



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M12x30	Single Bearing	80
4"	100x32	128	M12x30		90
5"	125x32	155	M12x30		100



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M12x30	Single Bearing	80
4"	100x32	128	M12x30		90
5"	125x32	155	M12x30		100

Medium SUS304 Casters With Blue TPR Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Double Bearing	90
4"	100x32	130	95x64	74x45	12x8.2		100
5"	125x32	155	95x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Double Bearing	90
4"	100x32	130	95x64	74x45	12x8.2		100
5"	125x32	155	95x64	74x45	12x8.2		110



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Double Bearing	90
4"	100x32	130	95x64	74x45	12x8.2		100
5"	125x32	155	95x64	74x45	12x8.2		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M12x30	Double Bearing	90
4"	100x32	128	M12x30		100
5"	125x32	155	M12x30		110



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M12x30	Double Bearing	90
4"	100x32	128	M12x30		100
5"	125x32	155	M12x30		110

Medium SUS304 Casters With PA Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	105	95x64	74x45	12x8.2	No Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		110
5"	125x32	155	95x64	74x45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	105	95x64	74x45	12x8.2	No Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		110
5"	125x32	155	95x64	74x45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	105	95x64	74x45	12x8.2	No Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		110
5"	125x32	155	95x64	74x45	12x8.2		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M12x30	No Bearing	80
4"	100x32	128	M12x30		110
5"	125x32	155	M12x30		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	M12x30	No Bearing	80
4"	100x32	128	M12x30		110
5"	125x32	155	M12x30		130

Medium SUS304 Casters With PA Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	105	95x64	74x45	12x8.2	Double Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		110
5"	125x32	155	95x64	74x45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	105	95x64	74x45	12x8.2	Double Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		110
5"	125x32	155	95x64	74x45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	75x32	105	95x64	74x45	12x8.2	Double Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		110
5"	125x32	155	95x64	74x45	12x8.2		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M12x30	Double Bearing	80
4"	100x32	128	M12x30		110
5"	125x32	155	M12x30		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity kg
3"	75x32	103	M12x30	Double Bearing	80
4"	100x32	128	M12x30		110
5"	125x32	155	M12x30		130

Medium SUS304 Casters With PU Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Single Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		110
5"	125x32	155	95x64	74x45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Single Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		110
5"	125x32	155	95x64	74x45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Single Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		110
5"	125x32	155	95x64	74x45	12x8.2		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M12x30	Single Bearing	80
4"	100x32	128	M12x30		110
5"	125x32	155	M12x30		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M12x30	Single Bearing	80
4"	100x32	128	M12x30		110
5"	125x32	155	M12x30		130

Medium SUS304 Casters With TPR Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Single Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		110
5"	125x32	155	95x64	74x45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Single Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		110
5"	125x32	155	95x64	74x45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
3"	75x32	105	95x64	74x45	12x8.2	Single Bearing	80
4"	100x32	130	95x64	74x45	12x8.2		110
5"	125x32	155	95x64	74x45	12x8.2		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M12x30	Single Bearing	80
4"	100x32	128	M12x30		110
5"	125x32	155	M12x30		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	75x32	103	M12x30	Single Bearing	80
4"	100x32	128	M12x30		110
5"	125x32	155	M12x30		130

Medium SUS304 Casters With PA Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	64x32	95	95x70	75/72x52/45	12x8.2	No Bearing	70
3"	75x32	113	95x70	75/72x52/45	12x8.2		80
4"	100x32	137	95x70	75/72x52/45	12x8.2		110
5"	125x32	163	95x70	75/72x52/45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	64x32	95	95x70	75/72x52/45	12x8.2	No Bearing	70
3"	75x32	113	95x70	75/72x52/45	12x8.2		80
4"	100x32	137	95x70	75/72x52/45	12x8.2		110
5"	125x32	163	95x70	75/72x52/45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	64x32	95	95x70	75/72x52/45	12x8.2	No Bearing	70
3"	75x32	113	95x70	75/72x52/45	12x8.2		80
4"	100x32	137	95x70	75/72x52/45	12x8.2		110
5"	125x32	163	95x70	75/72x52/45	12x8.2		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	64x32	95	M12x30	No Bearing	70
3"	75x32	113	M12x30		80
4"	100x32	137	M12x30		110
5"	125x32	163	M12x30		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	64x32	95	M12x30	No Bearing	70
3"	75x32	113	M12x30		80
4"	100x32	137	M12x30		110
5"	125x32	163	M12x30		130

Medium SUS304 Casters With PU Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	64x32	95	95x70	75/72x52/45	12x8.2	Single Bearing	70
3"	75x32	113	95x70	75/72x52/45	12x8.2		80
4"	100x32	137	95x70	75/72x52/45	12x8.2		110
5"	125x32	163	95x70	75/72x52/45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	64x32	95	95x70	75/72x52/45	12x8.2	Single Bearing	70
3"	75x32	113	95x70	75/72x52/45	12x8.2		80
4"	100x32	137	95x70	75/72x52/45	12x8.2		110
5"	125x32	163	95x70	75/72x52/45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	64x32	95	95x70	75/72x52/45	12x8.2	Single Bearing	70
3"	75x32	113	95x70	75/72x52/45	12x8.2		80
4"	100x32	137	95x70	75/72x52/45	12x8.2		110
5"	125x32	163	95x70	75/72x52/45	12x8.2		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	64x32	95	M12x30	Single Bearing	70
3"	75x32	113	M12x30		80
4"	100x32	137	M12x30		110
5"	125x32	163	M12x30		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	64x32	95	M12x30	Single Bearing	70
3"	75x32	113	M12x30		80
4"	100x32	137	M12x30		110
5"	125x32	163	M12x30		130

Medium SUS304 Casters With TPR Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	64x32	95	95x70	75/72x52/45	12x8.2	Single Bearing	70
3"	75x32	113	95x70	75/72x52/45	12x8.2		80
4"	100x32	137	95x70	75/72x52/45	12x8.2		110
5"	125x32	163	95x70	75/72x52/45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	64x32	95	95x70	75/72x52/45	12x8.2	Single Bearing	70
3"	75x32	113	95x70	75/72x52/45	12x8.2		80
4"	100x32	137	95x70	75/72x52/45	12x8.2		110
5"	125x32	163	95x70	75/72x52/45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	64x32	95	95x70	75/72x52/45	12x8.2	Single Bearing	70
3"	75x32	113	95x70	75/72x52/45	12x8.2		80
4"	100x32	137	95x70	75/72x52/45	12x8.2		110
5"	125x32	163	95x70	75/72x52/45	12x8.2		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	64x32	95	M12x30	Single Bearing	70
3"	75x32	113	M12x30		80
4"	100x32	137	M12x30		110
5"	125x32	163	M12x30		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	64x32	95	M12x30	Single Bearing	70
3"	75x32	113	M12x30		80
4"	100x32	137	M12x30		110
5"	125x32	163	M12x30		130

Medium Duty All SUS304 Casters Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	64x32	95	95x70	75/72x52/45	12x8.2	Double Bearing	70
3"	75x32	113	95x70	75/72x52/45	12x8.2		80
4"	100x32	137	95x70	75/72x52/45	12x8.2		110
5"	125x32	163	95x70	75/72x52/45	12x8.2		130




Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	64x32	95	95x70	75/72x52/45	12x8.2	Double Bearing	70
3"	75x32	113	95x70	75/72x52/45	12x8.2		80
4"	100x32	137	95x70	75/72x52/45	12x8.2		110
5"	125x32	163	95x70	75/72x52/45	12x8.2		130



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
2.5"	64x32	95	95x70	75/72x52/45	12x8.2	Double Bearing	70
3"	75x32	113	95x70	75/72x52/45	12x8.2		80
4"	100x32	137	95x70	75/72x52/45	12x8.2		110
5"	125x32	163	95x70	75/72x52/45	12x8.2		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	64x32	95	M12x30	Double Bearing	70
3"	75x32	113	M12x30		80
4"	100x32	137	M12x30		110
5"	125x32	163	M12x30		130



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
2.5"	64x32	95	M12x30	Double Bearing	70
3"	75x32	113	M12x30		80
4"	100x32	137	M12x30		110
5"	125x32	163	M12x30		130

European Type SUS304 Casters With PA Wheels



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	80x36	108	100x80	80/77x55/60	12x9.2	No	120
4"	100x36	125	100x80	80/77x55/60	12x9.2	Bearing	150
5"	125x36	150	100x80	80/77x55/60	12x9.2	Roller	180
6"	150x36	185	100x80	80/77x55/60	12x9.2	Bearing	250



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	80x36	108	100x80	80/77x55/60	12x9.2	No	120
4"	100x36	125	100x80	80/77x55/60	12x9.2	Bearing	150
5"	125x36	150	100x80	80/77x55/60	12x9.2	Roller	180
6"	150x36	185	100x80	80/77x55/60	12x9.2	Bearing	250



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	80x36	108	100x80	80/77x55/60	12x9.2	No	120
4"	100x36	125	100x80	80/77x55/60	12x9.2	Bearing	150
5"	125x36	150	100x80	80/77x55/60	12x9.2	Roller	180
6"	150x36	185	100x80	80/77x55/60	12x9.2	Bearing	250



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	80x36	108	φ12.3	No Bearing Roller Bearing	120
4"	100x36	125	φ12.3		150
5"	125x36	150	φ12.3		180
6"	150x36	185	φ12.3		250



Item					
Size	Dia x Width mm	Height mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	80x36	108	φ12.3	No	120
4"	100x36	125	φ12.3	Bearing	150
5"	125x36	150	φ12.3	Roller	180
6"	150x36	185	φ12.3	Bearing	250

European Type SUS304 Casters With PU Wheels



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	80x36	108	100x80	80/77x55/60	12x9.2	Roller Bearing	120
4"	100x36	125	100x80	80/77x55/60	12x9.2		150
5"	125x36	150	100x80	80/77x55/60	12x9.2		180
6"	150x36	185	100x80	80/77x55/60	12x9.2		250



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	80x36	108	100x80	80/77x55/60	12x9.2	Roller Bearing	120
4"	100x36	125	100x80	80/77x55/60	12x9.2		150
5"	125x36	150	100x80	80/77x55/60	12x9.2		180
6"	150x36	185	100x80	80/77x55/60	12x9.2		250



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	80x36	108	100x80	80/77x55/60	12x9.2	Roller Bearing	120
4"	100x36	125	100x80	80/77x55/60	12x9.2		150
5"	125x36	150	100x80	80/77x55/60	12x9.2		180
6"	150x36	185	100x80	80/77x55/60	12x9.2		250



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity
3"	80x36	108	φ12.3	Roller Bearing	120
4"	100x36	125	φ12.3		150
5"	125x36	150	φ12.3		180
6"	150x36	185	φ12.3		250



Item					
Size	Dia x Width mm	Height mm	Hole Size mm	Bearing Type	Load Capacity kg
3"	80x36	108	φ12.3	Roller Bearing	120
4"	100x36	125	φ12.3		150
5"	125x36	150	φ12.3		180
6"	150x36	185	φ12.3		250

Heavy duty SUS304 Casters With PA Wheels



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450

Heavy duty SUS304 Casters With PU Wheels



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300

Heavy duty SUS304 Casters With Nylon Wheels



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300

Heavy Duty All SUS304 Casters Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	300
5"	125x50	165	113x100	84x71	20x11		350
6"	150x50	192	113x100	84x71	20x11		400
8"	200x50	242	113x100	84x71	20x11		450

Heavy Duty SUS304 Casters With High-Temp Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	250
5"	125x50	165	113x100	84x71	20x11		300
6"	150x50	192	113x100	84x71	20x11		350
8"	200x50	242	113x100	84x71	20x11		400



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	250
5"	125x50	165	113x100	84x71	20x11		300
6"	150x50	192	113x100	84x71	20x11		350
8"	200x50	242	113x100	84x71	20x11		400



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	250
5"	125x50	165	113x100	84x71	20x11		300
6"	150x50	192	113x100	84x71	20x11		350
8"	200x50	242	113x100	84x71	20x11		400



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	250
5"	125x50	165	113x100	84x71	20x11		300
6"	150x50	192	113x100	84x71	20x11		350
8"	200x50	242	113x100	84x71	20x11		400

Heavy SUS304 Casters With Conductive TPR Wheel



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
4"	100x50	145	113x100	84x71	20x11	Double Bearing	200
5"	125x50	165	113x100	84x71	20x11		250
6"	150x50	192	113x100	84x71	20x11		280
8"	200x50	242	113x100	84x71	20x11		300

Low Profile Casters With Nylon Wheels



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	50x32	70	72x55	53x36	12x8.2	Double Bearing	100
2.5"	65x40	93	95x68	74x45	12x8.2		200
3"	75x45	105	105x80	83x60	12x8.2		250



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	50x32	70	72x55	53x36	12x8.2	Double Bearing	100
2.5"	65x40	93	95x68	74x45	12x8.2		200
3"	75x45	105	105x80	83x60	12x8.2		250



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	50x32	70	72x55	53x36	12x8.2	Double Bearing	100
2.5"	65x40	93	95x68	74x45	12x8.2		200
3"	75x45	105	105x80	83x60	12x8.2		250

Low Profile Casters With Nylon Wheels



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	50x38	78	84x84	58x58	17x8	Double Bearing	300
2.5"	65x50	95	100x100	78x78	15x11		500
3"	75x50	110	100x100	78x78	15x11		600



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	50x38	78	84x84	58x58	17x8	Double Bearing	300
2.5"	65x50	95	100x100	78x78	15x11		500
3"	75x50	110	100x100	78x78	15x11		600



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	50x38	78	84x84	58x58	17x8	Double Bearing	300
2.5"	65x50	95	100x100	78x78	15x11		500
3"	75x50	110	100x100	78x78	15x11		600

Low Profile Casters With PA Wheels



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	54x50	85	108x82	83x60	16x11	Double Bearing	300
2.5"	65x50	96	108x82	83x60	16x11		500
3"	75x50	108	108x82	83x60	16x11		600
4"	100x50	134	108x82	83x60	16x11		700



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	54x50	85	108x82	83x60	16x11	Double Bearing	300
2.5"	65x50	96	108x82	83x60	16x11		500
3"	75x50	108	108x82	83x60	16x11		600
4"	100x50	134	108x82	83x60	16x11		700



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	54x50	85	108x82	83x60	16x11	Double Bearing	300
2.5"	65x50	96	108x82	83x60	16x11		500
3"	75x50	108	108x82	83x60	16x11		600
4"	100x50	134	108x82	83x60	16x11		700

Low Profile Casters With PA Wheels



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	54x50	85	108x82	76x56	16x11	Double Bearing	300
2.5"	65x50	96	108x82	76x56	16x11		500
3"	75x50	108	108x82	76x56	16x11		600
4"	100x50	134	108x82	76x56	16x11		700



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	54x50	85	108x82	76x56	16x11	Double Bearing	300
2.5"	65x50	96	108x82	76x56	16x11		500
3"	75x50	108	108x82	76x56	16x11		600
4"	100x50	134	108x82	76x56	16x11		700



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	54x50	85	108x82	76x56	16x11	Double Bearing	300
2.5"	65x50	96	108x82	76x56	16x11		500
3"	75x50	108	108x82	76x56	16x11		600
4"	100x50	134	108x82	76x56	16x11		700

Low Profile PA Leveling Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	54x50	85	108x82	83x60	16x11	Double Bearing	300
2.5"	65x50	96	108x82	83x60	16x11		400
3"	75x50	108	108x82	83x60	16x11		500



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	54x50	85	108x82	83x60	16x11	Double Bearing	300
2.5"	65x50	96	108x82	83x60	16x11		400
3"	75x50	108	108x82	83x60	16x11		500



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	54x50	85	108x82	76x56	16x11	Double Bearing	300
2.5"	65x50	96	108x82	76x56	16x11		400
3"	75x50	108	108x82	76x56	16x11		500



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	54x50	85	108x82	76x56	16x11	Double Bearing	300
2.5"	65x50	96	108x82	76x56	16x11		400
3"	75x50	108	108x82	76x56	16x11		500

Low Profile Nylon Leveling Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2.5"	65x38	95	90x90	71x71	10.2	Double Bearing	200
3"	75x45	105	90x90	71x71	10.2		250



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2.5"	65x38	95	120x120	95x95	10.2	Double Bearing	200
3"	75x45	105	120x120	95x95	10.2		250

Polyurethane Leveling Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity
2"	50x25	75	65x65	45x45	13x8.2	Double Bearing	60
2"	50x25	75	70x50	52x35	12x8.2		60
2.5"	65x32	90	92x64	74x45	12x8.2		80
3"	75x32	103	92x64	74x45	12x8.2		90
3"	100x32	128	92x64	74x45	12x8.2		100

Leveling Casters



Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
40F	38x19	70	55x55	42x42	6.5	No Bearing	50
60F	50x25	82	73x73	58x58	6.5		250
80F	60x26	102	90x90	70x70	9		500
100F	75x29	120	95x95	70x70	9		750
120F	75x29	120	95x95	70x70	11		1000
150F	94x54	135	100x100	70x70	13		1500



Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity kg
40S	38x19	70	M8x25	No Bearing	50
60S	50x25	82	M12x30		250
80S	60x26	102	M12x30		500
100S	75x29	120	M16x40		750
120S	75x29	120	M16x40		1000

Leveling Casters




Item							
Size	Dia x Width mm	Height mm	Plate size mm	Hole Spacing mm	Hole Size mm	Bearing Type	Load Capacity kg
40F	38x19	70	55x55	42x42	6.5	No Bearing	50
60F	50x25	82	73x73	58x58	6.5		250
80F	60x26	102	90x90	70x70	9		500
100F	75x29	120	95x95	70x70	9		750
120F	75x29	120	95x95	70x70	11		1000
150F	94x54	135	100x100	70x70	13		1500




Item					
Size	Dia x Width mm	Height mm	Stem Size mm	Bearing Type	Load Capacity kg
40S	38x19	70	M8x25	No Bearing	50
60S	50x25	82	M12x30		250
80S	60x26	102	M16x40		500
100S	75x29	120	M16x40		750
120S	75x29	120	M16x40		1000

PU Pallets Jack Wheels





Item			
Size	Dia x Width mm	Bearing Type	Load Capacity
8050	80x50	6204 Double Bearing	600
8060	80x60	6204 Double Bearing	600
8070	80x70	6204 Double Bearing	600
8080	80x80	6204 Double Bearing	600
8090	80x90	6204 Double Bearing	600
80100	80x100	6204 Double Bearing	600




Item			
Size	Dia x Width mm	Bearing Type	Load Capacity
1850	180x50	6204 Double Bearing	700
2050	200x50	6204 Double Bearing	700

Nylon Pallets Jack Wheels



Item			
Size	Dia x Width mm	Bearing Type	Load Capacity
8050	80x50	6204 Double Bearing	600
8060	80x60	6204 Double Bearing	600
8070	80x70	6204 Double Bearing	600
8080	80x80	6204 Double Bearing	600
8090	80x90	6204 Double Bearing	600
80100	80x100	6204 Double Bearing	600



Item			
Size	Dia x Width mm	Bearing Type	Load Capacity
1850	180x50	6204 Double Bearing	700
2050	200x50	6204 Double Bearing	700